

CRUISING ROPES

TESTED TO THE LIMIT


kingfisher
YACHT ROPES™



 /yachtropes  @kingfisherropes  /kingfisher_ropes

YACHTROPES.CO.UK

ABOUT KINGFISHER YACHT ROPES

Kingfisher Yacht Ropes was established as a brand in 2002 when DSM Group added yacht ropes to its extensive range of ropes and rope related products. Kingfisher has become one of the most recognizable brands of yacht ropes in the sailing industry. We distribute our range of products throughout the world to many chandlers, riggers, boat builders and sailmakers.

We have invested a great deal of time in testing and developing new products and spend many hours of research and development to continually improve and develop our range.

Please visit our website www.yachtropes.co.uk for the latest news on products and upcoming events.

PRODUCT KEY



ROPES MADE WITH
DYNEEMA® FIBRE



ROPE
DIAMETER



20%
STRETCH PERCENTAGE
AT 20% OF BREAKLOAD




CUT LENGTHS
AVAILABLE



COLOUR OPTIONS
AVAILABLE ON REQUEST

CRUISING ROPES

Where performance is important but not as critical as on a racing boat, durability, handling and cost-effectiveness are essential.




KINGFISHER CAN RECOMMEND
THE BEST CHOICE OF CRUISING
ROPE FOR EVERY APPLICATION
AND EVERY POCKET.

BRAID ON BRAID POLYESTER


Braid on Braid Polyester is an ideal cruising rope consisting of a low stretch braided Polyester core, with an abrasion resistant, braided Polyester cover. Our Braid on Braid Polyester rope is heat set under load to reduce stretch and is the ideal choice for sheets, halyards, control lines and many general purpose applications. It is easy on the hands and simple to splice.

WHITES


Our classic colour range of Braid on Braid Polyesters are available in solid white and white with coloured flecks.





DIAMETERS
6-24mm




3.7%









RED FLECK




BLUE FLECK




YELLOW FLECK



GREEN FLECK




BLACK FLECK




SOLID WHITE

MELANGES


Melange Braid on Braids are a mottled mix of Polyester yarns to provide a modern colour twist for our standard Braid on Braid cruising ropes.





DIAMETERS
6-12mm




3.7%









MELANGE BLACK



MELANGE RED




MELANGE BLUE




MELANGE GREEN

SOLIDS


Our range of solid colour Polyester Braid on Braids now include green, silver and hemp colour.





DIAMETERS
6-14mm




3.7%









SOLID NAVY




SOLID BLACK




SOLID RED




SOLID ROYAL (6-12mm)




SOLID YELLOW (6-12mm)



SOLID GREEN (6-12mm)




SOLID SILVER (6-12mm)




SOLID HEMP

DYNEEMA® CRUISE


Dyneema® Cruise ropes are made with a Polyester braided cover and have a braided core made using Dyneema® fibre, all lines also have intermediate covers to reduce core/cover slippage. This rope has been designed as an upgrade to our 100% Polyester ropes. They are lighter, higher strength and lower stretch.





DIAMETERS
6-12mm




2.8%









SILVER




BLUE



RED




GREEN




BLACK

MATT POLYESTER


Matt Polyester is a soft Polyester braid on braid with a high grip staple Polyester cover. It is ideal for sheets, control lines and classic rigging.





DIAMETERS
4-16mm




4%









BLUE FLECK




SOLID RED (4-14mm)



SOLID BLUE (4-14mm)




SOLID BLACK (4-14mm)




CLASSIC

KINGBRAID


Kingbraid has a 3 strand twisted Polyester core and 32 plait Polyester cover. It is lower stretch, stronger and harder wearing than standard Polyester braid on braid. It is ideal for halyards, sheets, control lines and most on board applications.





DIAMETERS
6-14mm




3.2%









RED FLECK




BLUE FLECK




GREEN FLECK




YELLOW FLECK



BLACK FLECK



SOLID RED



SOLID BLUE

TECHNICAL SPECIFICATION



All our ropes are tested to the limit

On the water, in many of the world's greatest yacht races, and off the water, at the factory, our ropes are tested to destruction. We always publish minimum spliced breaking loads, ensuring our results are not only relevant to the user, but achievable.

Diameter (mm)	Minimum Spliced Break Loads (kg)			
	Braid on Braid Polyester	Dyneema® Cruise	Kingbraid	Matt Polyester
4	-	600	-	250
5	-	950	-	380
6	820	1100	930	590
8	1300	2100	1800	1000
10	2400	3400	2700	1800
12	3200	5200	4100	2500
14	4500	-	5100	3000
16	5900	-	-	3700
18	7600	-	-	-
20	8900	-	-	-
24	10,500	-	-	-

LOAD-ELONGATION CURVE

Elongation is based on figures taken from tests across the diameter range, to produce an average figure.



SPLICING EQUIPMENT

TWISTED WHIPPING TWINE

Waxed Polyester twisted whipping twine.

White available in small, medium and large.

Colours available in red, blue, black, green, gold and tan (in medium only).



TWISTED WHIPPING TWINE

Waxed Polyester twisted whipping twine. Colours available white, red, blue, black and classic. Available in 1mm and 1.4mm diameter.



SELMA SPLICING NEEDLES

Full range of Selma splicing needles available in tubes of 4 or 5 needles and also available as individual fids.



D SPLICER

Full range of D Splicer products are available including D Splicer needle sets, fixed D Splicer, Scissors, and Knives.



HANDHELD HEAT KNIFE

HSGM rope cutters, ideal for cutting and sealing synthetic ropes.




SWEDISH FIDS

Classic splicing fids available in two sizes small (175mm) and large (270mm)



SPLICING NEEDLES

Rope splicing needles in three sizes, small (210mm), medium (300mm) and large (365mm).



TARRED MARLIN TWINE

Available in 250grm spools in 1mm, 2.5mm and 3mm diameter.





INNOVATIVE ROPE PRODUCTS

Riverside Works, Huddersfield Road,
Mirfield, West Yorkshire, WF14 9DL

T. +44 1924 497845
F. +44 1924 491128

E. sales@dsm-group.co.uk
W. www.yachtropes.co.uk

Kingfisher Yacht Ropes is part of the DSM Group